



comfort cruising 2010

Comfort Cruising

Elegance & Sensation

Sunrider

4 / 7

Medline


8 / 11


Technical specifications

12 / 13

A worldwide network

14 / 15





day boat

The Comfort Cruising range does justice to its name. Our engineers and architects have focused on ensuring optimal boating conditions whilst providing excellent on-board comfort.

Every model of the Comfort Cruising range will allow you to fully enjoy the days you spend at sea. The design, ergonomics, choice of materials and fittings have all been devised for easy manoeuvrability and to provide the crew with all the room it needs. Whether for boating or anchoring, the fittings, the lockers and the equipment have been conceived with the greatest care.

A wide range of options is available to customize each boat according to its use: picnic tables, sundecks, bathing platforms, ladders, ski mast... Over to you!

Sunrider

A perfectly consistent boat

new

A boat's comfort depends on several parameters: the hull to ease you through the waves, the quality of the fabrics for a pleasant touch, the modular design to adapt to every circumstance, the efficiency of the non-slip linings to make you feel perfectly safe... In this respect, the Sunrider has been especially well thought out. It is modern and innovative and offers remarkable value for money for a boat in its class.



Sunrider 500

The Sunrider comes in four different lengths (from 5 m to 7.5 m) and two colours (grey or navy blue), all with the same high standards. While the stern is especially suitable for bathing and water skiing, we have designed the bow specifically to make mooring manoeuvres and lifting the anchor easy.

PRODUCT + POINTS

- Available in two colours: grey or navy blue
- Console which tilts toward the bow: it provides access to the integrated fuel tank and a storage area, and reduces the boat's height.
- Polyester bow roller
- Pronounced V-hull
- Under-deck integrated fuel tank
- Port stern boarding gate
- Swivelling backrest/bolster (only on 650)
- Convertible sundeck, picnic table and bench (optional)





day
boat


DAY BOAT

Sunrider 550



Sunrider 550

Sunrider 750



Sunrider 650



Sunrider 500
5 m / 16'5"



Sunrider 550
5,5 m / 18'1"



Sunrider 650
6,35 m / 20'10"



Sunrider 750
7,5 m / 24'7"



EQUIPMENT

HULL

- Pronounced fibreglass V-hull, fitted with strakes
- Non-slip deck
- 1 bow ring
- 2 stern tow rings
- Hatch in engine casing
- 1 high volume bailer
- 1 drain plug

BUOYANCY TUBE

- Strongan™ Duotex™ 2 x 1100 decitex fabric
- Semi-recessed valves
- Ultra-wide anti-chafing deflector strip
- Polyester bow roller
- Handrail (strap + safety grab line)
- 4 external handles (6 on the 650 / 750)
- Cone reinforcers
- Removable buoyancy tube (750)

STANDARD EQUIPMENT

- 1 central console hinged to the deck with:
 - Steering wheel, steering system, cable
 - Windscreen, handrail
 - Bow seat with backrest against console
- Integrated fuel tank: 300 litres (750), 77 litres (550 / 650) & 54 litres (500)
- 1 water/fuel separator
- 1 bow locker
- 1 stern locker bench
- 1 stern locker bench with swivelling backrest (650)
- 2 paddles
- 1 pump
- 1 repair kit
- 1 owner's manual
- 1 pressure gauge plug
- 1 bathing ladder
- 1 bilge pump (650)

EQUIPMENT SPECIFIC TO SUNRIDER 750

- Storage hold (storage for skis/wake possible)
- Anchor locker, and large bow locker (cover on hydraulic cylinders)
- Polyester bolster with storage locker and lateral ergonomic support (ensures pilot restraint, and allows the console system to be assembled)
- Aft saloon (seating for 5), with 2 storage lockers, and swivelling backrest (sundeck function)
- Bathing platforms with integrated ladder
- Bilge pump and battery cut-off

OPTIONAL EQUIPMENT

- Convertible sundeck/picnic table/bench (500 / 550 / 650)
- Convertible aft table/sundeck (750)
- Fore sundeck (cushions and extensions, on 750)
- Roll-bar
- Canvas hood
- Cover
- Bolster and console awning (750)
- Ski mast (750)
- Shower kit (750)
- Marine stereo (750)
- Synthetic teak deck
- Synthetic grey lining (750)



Sunrider 650



day
boat

DAY BOAT



Medline

A combination of effectiveness and beauty

The Medline range is the result of two sources of inspiration: the nautical world for all aspects linked to boating; the world of automobiles for the onboard comfort, the steering position, the ergonomic design of the upholstery and the intelligent design of the different fittings.

Now available in Hypalon™-Neoprene™ fabrics, the Medline range provides unrivalled well-being. Its new colours make it an exceptionally elegant boat, on the water as well as in the port, catering to sailors who demand excellent seaworthiness from their boats without accepting to sacrifice an iota of quality of life on board.



Medline 500



- New designs
- Strongan™ Duotex™ fabrics on Medline 500
- Choice between Strongan™ Duotex™ fabric and Hypalon™-Neoprene™ fabric on Medline 550
- Hypalon™-Neoprene™ fabric on Medline 650 Neo and Medline 850 Neo
- Stainless steel ski mast/wake (optional on 550 and 500)
- Synthetic teak floor for increased comfort (available as an option on 550 and 650)
- Integrated fuel tank
- Removable buoyancy tube
- Sundeck as standard** (aft on 550/650; fore and aft on 850)

day
boat

DAY BOAT



Medline 550

Available in 2 types of fabrics
on Medline 550





Medline 650



Medline 500
5 m / 16'5"



Medline 550
Strongan™
5,3 m / 17'5"



Medline 550
Neo
5,3 m / 17'5"



Medline 650
6,3 m / 20'8"



Medline 850
8,5 m / 27'11"





EQUIPMENT

HULL

- Deep V-shaped polyester hull (with integrated flaps on the 550)
- Moulded non-slip deck
- 1 bow ring
- Self-draining cockpit when empty (550), when laden (650 and 850)
- 1 anchor locker (550, 650, 850)
- 1 bow locker (+ 75 litre removable storage bin on 850)
- 1 side locker (550, 650, 850)
- 2 side lockers (850)
- 2 under-deck lockers (500)
- 1 stern locker
- 3 mooring cleats (550 / 650)
- 2 stern mooring cleats, one bow mooring post (850)
- Cup holder (550 / 650 / 850)
- Fittings for auxiliary engine (650)
- Bathing platform with integrated telescopic ladder (650)
- Bailer:
 - 1 on 550
 - 2 on 500 / 650
 - 4 high volume on 850

BUOYANCY TUBE

- Removable buoyancy tube
- Hypalon™-Neoprene™ 1670 decitex fabric (650 / 850, optional on 550)
- Strongan™ Duotex™ 2 x 1100 decitex fabric (500 / 550)
- Semi-recessed valves
- 2 stainless steel handrails (3 on 550 Strongan™ / 4 on 850) and fabric handles
- Polyester safety grab line on 500
- Polyester bow roller
- Ultra-wide anti-chafing deflector strip
- 6 external handles (4 on 500)
- 2 cleats (550 Strongan™)
- Crowned cone reinforcers

STANDARD EQUIPMENT ON MEDLINE 500, MEDLINE 550 & MEDLINE 650

- Console with:
 - Wood steering wheel (550, 650, 850) + steering unit + cable (500, 550)
 - Windscreen, stainless steel handrail
 - 3 switches (650, 550)
 - Glove compartment
 - Extinguisher holder (550, 650, 850)
- Collapsible backrest pilot/co-pilot seat with removable upholstery (fixed backrest on 500)
- Upholstered passenger seat fore of the console
- Upholstered aft sundeck (550, 650, 850)
- Battery bin (550, 650, 850)
- Battery cut-off (550, 650, 850)
- Bathing ladder
- Automatic bilge pump (550, 650, 850)
- 2 paddles
- Foot pump
- 1 repair kit
- Owner's manual
- Pressure gauge plug

EQUIPMENT SPECIFIC TO MEDLINE 500

- Fitted 60 litre fuel tank + gauge + fuel/water separator + filter

EQUIPMENT SPECIFIC TO MEDLINE 550

- Convertible seat-bolster for pilot
- Console with cup holder and 12 V socket
- Fitted 120 litre fuel tank + gauge + fuel/water separator + filter
- Anchor

EQUIPMENT SPECIFIC TO MEDLINE 650

- Convertible seat-bolster for pilot
- Hydraulic steering
- Fitted 220 litre fuel tank + gauge + fuel/water separator + filter
- Stainless steel mast with teak platform and ski tow ring + navigation light
- Roller with sheave, mooring chocks and lateral navigation lights

STANDARD EQUIPMENT ON MEDLINE 850

- Fore and aft sundeck
- Aft saloon with picnic table and 4-place bench
- 1 fuel tank (400 litres) + gauge + fuel/water separator
- Synthetic teak deck
- Console with:
 - Complete hydraulic steering (front-facing steering system not supplied) and wood steering wheel
 - "Bubble" windscreen
 - Stainless steel handrail
 - 8 switches
 - Two 12 V sockets
 - Passenger handle
 - Glove compartment
 - 3 cup holders
 - Foot-rest
 - Upholstered passenger seat fore of the console
- Cabin:
 - Door with lock and with integrated porthole
 - Electrical lighting
 - Inside of cabin fully carpet-lined
 - Additional lockers
- Bolster:
 - Dual sitting-standing position for pilot and co-pilot
 - Lateral restraints
 - Sink unit with tap and electric pump
 - Stainless steel handrail
 - Collapsible table
 - Extinguisher holder
 - Inside locker

- Stainless steel mast with teak platform and ski tow ring + navigation lights
- Telescopic and foldable bathing ladder
- Shower kit + fresh water tank (50 litres)
- Deck lighting
- Navigation lights
- 2 battery bins
- 2 battery cut-offs + 1 load balancer
- 2 battery couplers
- 2 automatic bilge pumps
- 2 paddles
- 1 foot pump
- 1 repair kit
- Owner's manual
- Pressure gauge plug

OPTIONAL ACCESSORIES

- Canvas hood
- High volume 12 V electric pump
- Mooring awning (500 / 550 / 650)
- Picnic table + fore sundeck (500 / 550 / 650)
- Roll-bar (500 / 550)
- Stainless steel mast with teak platform and ski tow ring (550)
- Synthetic teak deck (550 / 650)
- Shower kit + 50 litre fresh water tank (500 / 550 / 650)
- Ski mast (500 / 550)
- Electric windlass (850)
- Console awning (850)
- Bolster awning (850)
- Heater (850)
- Electric cooler (850)
- Stereo system (850)
- Navigation lights (500 / 550)
- Bilge pump (500)

Technical specifications

ENGINES

Indicated measurements may vary by +/- 3%, or +/- 5% for weight and speed measurements.

(1) Maximum permitted load is calculated using ISO standards. Caution is advised when operating fully laden boats.

(2) Recommended power is based on optimal use of the boat's abilities under average load. Depending on use, choose either maximum (water-skiing) or minimum power (fishing, cruising).

(3) Maximum permitted power, when above maximum recommended power, must be used with the most extreme caution. It should only concern experienced users, employing their boat for very specific purposes (carrying heavy loads, etc). The manufacturer's plaque specifies maximum permitted power. The power of your boat must not exceed this under any circumstances.

(4) Maximum permitted weight: dry weight, according to motor manufacturers' catalogue specifications.

(5) Maximum speeds are intended as a guide only; they were measured in ideal conditions by professional pilots with one person aboard. They may vary according to make of motor, boat load, propeller type and water conditions.

Zodiac continually strives to improve the quality of its products and as such reserves the right to modify or delete any model presented in this catalogue without prior notice.

EQUIPMENT

Models in this catalogue are sometimes shown with optional accessories. Please check standard equipment supplied with each model and see your reseller for any additional equipment. The availability of certain models, as well as certain equipment details may vary from country to country (e.g. USA, Canada). The boats photographed in this catalogue may have undergone changes.

* Awaiting approval



DIMENSIONS (metres - feet/inches)

Overall length

Inside length

Overall width

Inside width

Buoyancy tube diameter

CAPACITY

Passengers (ISO B/C)

Maximum payload¹ (kg - lbs) Cat C

Maximum payload¹ (kg - lbs) Cat B

Total weight (kg - lbs)

Airtight compartments

DESIGN CATEGORY

European directive N° 94/25/CE

OUTBOARD DATA

Shaft: ● Short ■ Long ✕ Extralong * Ultralong ▲ Jet

Minimum recommended power² (Hp)

Minimum recommended power² (kW)

Maximum recommended power² (Hp)

Maximum recommended power² (kW)

Maximum power allowed³ (Hp)

Maximum power allowed³ (kW)

Maximum weight of outboard⁴ (kg - lbs)

Maximum speed⁵ (km/h - mph)

TWIN-ENGINE DATA

Shaft: ● Short ■ Long ✕ Extralong * Ultralong ▲ Jet

Minimum recommended power² (Hp)

Minimum recommended power² (kW)

Maximum recommended power² (Hp)

Maximum recommended power² (kW)

Maximum power allowed³ (Hp)

Maximum power allowed³ (kW)

Maximum weight of outboard⁴ (kg - lbs)

HULL STORAGE DIMENSIONS (metres - feet/inches)

Length

Width

Height

Hull angle

SUNRIDER

500

550

650

5 - 16'5"

3,77 - 12'4"

2,1 - 6'11"

1,1 - 3'7"

0,5 - 1'8"

9

1060 - 2337

-

310 - 683

5

C

■

40

30

50

38

70

53

170 - 375

58 - 36

-

-

-

-

-

-

-

-

4,04 - 13'3"

1,28 - 4'2"

1,66 - 5'5"

22°

5,5 - 18'1"

4,2 - 13'9"

2,18 - 7'2"

1,22 - 4'0"

0,5 - 1'8"

11

1157 - 2551

-

350 - 772

5

C

■

50

38

70

53

90

68

175 - 386

67 - 42

-

-

-

-

-

-

-

-

4,6 - 15'1"

1,41 - 4'8"

1,7 - 5'7"

26°

6,35 - 20'10"

4,8 - 15'9"

2,45 - 8'0"

1,35 - 4'5"

0,55 - 1'10"

5/13

1550 - 3417

1000 - 2205

430 - 948

5

B / C

■

70

53

90

68

150

111

200 - 441

78 - 49

-

-

-

-

-

-

-


-

5,4 - 17'9"

1,73 - 5'8"

1,73 - 5'8"

21°



day
boat

CARACTÉRISTIQUES
TECHNIQUES

750	MEDLINE			
	500	550	650	850
7,50 - 24'7"	5 - 16'5"	5,3 - 17'5"	6,30 - 20'8"	8,5 - 27'11"
6,16 - 20'2"	3,9 - 12'10"	3,68 - 12'1"	4,95 - 16'3"	7,45 - 24'5"
2,9 - 9'6"	2,2 - 7'3"	2,24 - 7'4"	2,5 - 8'2"	3 - 9'10"
1,67 - 5'6"	1,2 - 3'11"	1,2 - 3'11"	1,35 - 4'5"	1,85 - 6'1"
0,6 - 2"	0,5 - 1'8"	0,52 - 1'8"	0,575 - 1'11"	0,6 - 1'12"
7/14*	10	9	5/11	8/15
1730 - 3808*	1150 - 2535	1115 - 2458	1550 - 3417	2130 - 4696
980 - 2160*	-	-	1100 - 2425	1605 - 3538
1050 - 2313	397 - 875	480 - 1058	690 - 1521	1600 - 3527
5	5	5	5	7
B / C	C	C	B / C	B / C
✕	■	■	✕	*
175*	40	40	115	250
129*	30	30	86	188
250*	60	75	150	300
184*	44	56	112	225
250*	80	115	150	350
184*	59	86	112	262
300 - 660	180 - 397	195 - 430	240 - 529	380 - 838
85 - 53	68 - 42	70 - 43	74 - 46	91 - 57
-	-	-	-	✕
-	-	-	-	2 x 175
-	-	-	-	2 x 131
-	-	-	-	2 x 225
-	-	-	-	2 x 166
-	-	-	-	2 x 225
-	-	-	-	2 x 166
-	-	-	-	544 - 1199
7,11 - 23'4"	4,46 - 14'8"	4,73 - 15'6"	6,00 - 19'8"	7,78 - 25'6"
2,15 - 7'15"	1,53 - 5'0"	1,54 - 5'1"	1,57 - 5'2"	2,26 - 7'5"
2,2 - 7'31"	1,42 - 4'8"	1,7 - 5'7"	1,87 - 6'2"	2,2 - 7'3"
22°	24,5°	24,5°	24°	24°

A worldwide network



Wherever you are in the world, you will find a Zodiac dealer to help you. We have a worldwide network of more than 1600 points of sales distributed in 90 countries, made up by boating experts.

www.zodiacmarine.com



n-ZO



Sport Cruising



Easy Cruising



Deluxe Tenders



www.zodiacmarine.com



Zodiac International S.A.S.U with a capital of 18,000,000 € - 729 800 839 RCS Nanterre
Zodiac is a registered trade mark of Zodiac Marine & Pool - Copyright© Zodiac 2010