



— ENGLISH —

WHY A RIB?




SECURITY

The tubes of Zodiac boats have several chambers separated by waterproof partitions. Due to its all-important air reserves, the boat retains its ability to float and is virtually unsinkable when fully loaded – even in the event of a deflated chamber.



REASSURING STABILITY

With buoyancy equally distributed and a low centre of gravity, Zodiac boats are almost impossible to capsize when fully loaded.



EXCEPTIONAL LOAD

You're right, there are 12 football players onboard this Zodiac boat! With exceptional weight to area-below-water ratio, Zodiac boats have a considerable load-bearing capacity.



© Gérard Garnier, Futura 1987, 55 knots

REMOVABLE TUBES : A ZODIAC EXCLUSIVE

Built-in fenders mean less stress when docking. The boat will simply bounce without damage if it happens to tap a dock or neighbouring boat in the harbour.



The tube is entirely removable and can be taken apart and folded to allow for easier transportation, storage, maintenance and repair.

CHANGING YOUR TUBES?

There is nothing easier. The tubes can be removed from the hull which is ideal to renovate or restyle your boat for less.

POWER

RIBs consume less fuel thanks to their power-to-weight ratio and a smaller horsepower engine is required to deliver the same performance as a traditional hull.

MORE ECONOMICAL AND PRACTICAL

When buying and maintaining a boat, semi-rigid is less expensive than a hull and, in most cases, a large truck is not required to tow it.





BENEFITS OF A RIB



A TRUE 4X4
OF THE SEA

MORE CAPABLE

The unique combination of a very low centre of gravity, a deep-v hull and added stabilisation gives RIBs impressive speed and sea-crossing capabilities without compromising on comfort or safety.



PRO 850 CUSTOM



THE HULL

An internal structure of rot resistant polyester built with a spar and floors network guarantees a single block link between the hull and deck. This results in rigidity and resistance performance in all load conditions.

THE TUBES

Zodiac Nautic developed a unique process to assemble its tubes: thermobonding. This process consists of welding together pieces of Strongan™ to offer a material that is both waterproof and durable – almost indestructible. Zodiac is the only manufacturer to master welding together all structural materials of an inflatable boat, therefore guaranteeing exceptional longevity and security.



QUALITY TEST

Zodiac Nautic carefully selects all materials built into its boats adhering to strict functional specifications. Zodiac is also the only manufacturer to subject every individual boat to a series of extreme condition tests. Your Zodiac boat is sure to last.



As the inventor of inflatable boats and 120 years of experience, Zodiac Nautic offers RIBs with exceptional resistance and reliability by using materials and processes that are always at the cutting edge of technology.



RANGE

RIGID-HULLED INFLATABLE

PRO

À la carte



OPEN

All-in-one




MEDLINE

Private oasis



N-ZO

Premium
cruising




EJET 450

Without oil,
without fuel,
without maintenance



3 METERS 4 METERS 5 METERS 6 METERS 7 METERS 8 METERS 9 METERS





12

PRO
Custom mode



36

MEDLINE
Private oasis



24

OPEN
All-in-one



46

N-ZO
Premium cruising




52

EJET
100% electric

PRO

CUSTOM MODE



Practical | Adaptable | Diverse





PRO 7




PRO 5.5



PRO 5.5



PRO 7



PRO 7



PRO 5.5




PRO 5.5

PRO

PRACTICALITY

Widely appreciated, the PRO range is equipped with a removeable tube that makes maintenance easy. The platform deck offers multiple layout options.



WIDE DIAMETER REMOVABLE TUBE

Stable with a hollow inside.

DEEP V-SHAPED FIBER GLASS HULL

Comfort and high performance on heavy seas.

GREAT USE OF SPACE

Large surface area available for multiple fittings, featuring storage space under the deck and a sizeable tank for wider range.

MOULDED SELF-BAILING DECK ON NEW GENERATION

Ease of use: safety and maintenance user friendly.

NEW FISH TAIL CONES

Patented innovation
Easy access to the bathing ladder.

PRO 6.5


ADAPTATION

Diving, fishing, water-sports, work or leisure – the Pro adapts. Design the deck layout to suit your lifestyle and preferences.



FISHING

PASSENGER TRANSPORT



EXPLORATION

PRO

WIDE VARIETY

The Pro offers unrivalled layout and personalisation options.

- Numerous colour combinations including hull, tubes, accessories and tank integration
- Position of equipment such as console and seats in your preferred location
- Choice of driving position – either seated or standing
- Models available between 4.2m – 8.5m



CONSOLES

							
	Optima 800 console side mount grey/white Z61451	Optima 800 console grey/white Z61450	Optima 800 ftc console grey/white (68l/18gal) Z61452	Jockey console 2 seaters grey/white Z61247	Pro HL console light/dark grey Z61727/Z61731	Pro HLS console/seater light/dark grey Z61728/Z61732	Pro HXL console light/dark grey Z61729/Z61733
420	•			•			
500		•	•	•			
5.5					•	•	•
6.5					•	•	•
7					•	•	•
750					•	•	•
850					•	•	•

SEATS

						
	Optima 525 seaters white/grey Z61212	Bolster tube mono Z61815	Bolster tube double Z61778	Bolster optima grey/white Z61236	Bolster pro light/dark grey Z61720/Z61721	3-Seater bench seat (removable) Z61726
420	•	•				
500	•	•		•		
5.5		•	•		•	•
6.5		•	•		•	•
7		•	•		•	•
750		•	•		•	
850		•	•		•	



Pro HXLS
console/seater
light/dark grey

Z61730 /Z61734



Optionnal instru-
mental panel for
HL console light/
dark grey

Z61735/Z61737




Optionnal instru-
mental panel
for HXL console
light/dark grey

Z61736/Z61738



Upper handrail
HXL/HXLS
console

Z61637



Console foot rest
(unit)

Z61639

420

500

5.5

•

•

•

•

•

6.5

•

•

•

•

•

7

•

•

•

•

•

750

•

•

•

•

•

850

•

•

•

•

•



3-Seater bench seat
(fixed)

Z61739



Jockey seat pro 1
seater light/dark
grey

Z61722/Z61723



Bolster's backrest
pro

Z61650



Front handle for
jockey seat

Z61675

420

500

5.5

•

•

•

6.5

•

•

•

7

•

•

•

750

•

•

•

850

•

•

•

•

PANORAMIC WINDSCREEN

Protection against wind and
sea spray.

HANDRAIL

Wide diameter, comfor-
table grip, robust and
ergonomic.

INSTRUMENT PANEL

Large dashboard as standard
for all of your instruments
plus the choice to go bigger
with the optional upper
section.

TIPPING CONSOLE

Perfect to reduce the height
for winter storage.



EQUIPMENT

EQUIPMENT TO ENHANCE COMFORT



28L (7gal) cooler plus
12/230v
Z61599



Electrical anchor
windlass
Z61584

420		
500		
5.5	•	
6.5	•	
7	•	
750	•	
850	•	•

A FRAMES AND ADDITIONAL EQUIPMENT FRAMES



Roll bar pro (available
with swim ladder)

Z61149



Roll Bar Inox

Z1167/Z61149BK



Roll bar pro (with
ski mast integrated)

Z61645




Bow rail/docking
bit

Z61814



Fishing Pulpit

Z61646



Dark gray rear
platforms

Z61694/Z61898/
Z61636



Chainplateslift Kit
(front)

Z61743



Ski mast

Z61385/Z61385BK

420						•	
500		•				•	
5.5			•	•	•	•	
6.5			•	•	•	•	
7			•	•	•	•	
750	•						•
850	•						•

T-TOPS

				
	T-top black alu (standard)	Bimini	Mooring cover (boat only)	Covers (console, bolster, back seat)
	Z61683	Z1088	Z61075	Z61260/Z61259
420		•		
500		•	•	
5.5	HL/HLS			•
6.5	HL/HLS			•
7	HL/HLS			•
750	HXL/HXLS			•
850	HXL/HXLS			•

ELECTRONICS

		
	Navigation lights red/ green (on roll bar or console)	Navigation lights (installation on the roll bar)
	Z60853	Z67307
420		
500	•	•
5.5	•	•
6.5	•	•
7	•	•
750	•	•
850	•	•



EQUIPMENT



PRO 420 PRO 500 PRO 5.5 PRO 6.5 PRO 7 PRO 750 PRO 850

Length overall/inside (m-f)	4,20/2,90	4,70/3,38	5,40/4,25	6/4,94	6,75/5,71	7,50/6,16	8,50/7,45
Width overall/inside (m-f)	1,90/0,95	2,05/1,05	2,54/1,39	2,54/1,39	2,54/1,39	2,90/1,65	3/1,85
Weight (Kg-Lbs)	181	230	430	610	790	860	1450
Number of passengers	7	9	12	15	16	20	25
Max power allowed (CV)	50	70	115	175	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250
Tank capacity (l-gal)	ø	ø	100	200	200	310	400

STANDARD EQUIPMENT

HULL

Deep V fiberglass hull
Moulded in deck light grey or dark grey
Anchor locker which can be padlocked
Stern flush deck locker + 1 front locker
2 High volume bailers
1 Bow mooring bollard
2 Stern cleats (Pro 5.5/6.5/7/750/850)
Technical area (Pro 5.5/6.5/7/750/850)
Bilge pump (Pro 5.5/6.5/7/750/850)
1 Bow ring
2 Towing rings

TUBE

Removable tube
Strongan™ - DUOTEX™ fabric 2x1100 decitex (Pro 420/500/5.5/6.5)
Hypalon™ - Neoprene™ fabric (Pro 7/750/850; option on Pro 420/500/5.5/6.5)
GRP bow step incl. anchor roller
Fish Tail Cones (Pro 5.5/6.5/7)
Semi-recessed valves Easy Push
Double grab line
Anti-slip patches
Large profile rubstrake
4 External handles

ADDITIONAL EQUIPMENT

Integrated fuel tank + water/fuel separator (Pro 5.5/6.5/7/750/850)
Battery switch (Pro 5.5/6.5/7/750/850)
Bathing ladder
2 Paddles
Foot pump & pressure gauge
Repair kit
Owners manual

COULEURS

	Strongan™	Hypalon Néoprène™	Coque
420/500	Black Red	Grey	White Grey
5.5	Red Black Grey	Blue Red Black Normal grey Light grey	Dark grey Light grey
6.5	Red Black Grey	Red Black Normal grey Light grey	Dark grey Light grey
7		Blue Red Black Normal grey Light grey	Dark grey Light grey
750		Red Black Normal grey Light grey	Dark grey
850		Black Normal grey	Dark grey

CONFIGURE
YOURS



PRO 5.5

SPECIFICATIONS

OPEN

ALL-IN-ONE



OPEN 5.5

Practical | Versatile | Performance





OPEN 7



OPEN 5.5



OPEN 5.5



OPEN 5.5



OPEN 7



OPEN 5.5




OPEN 7

OPEN

VERSATILITY

A true Swiss-Army knife. Suitable for all activities, the Open is the cross-over of the seas. The versatility of this RIB has been precisely designed in every detail so that you can live your passion.



OPEN 7

2 TUBE COLORS



OPTION:
EVA DECK



*except OPEN 7



OPEN

PERFORMANCE

The v-hull and optimised deck plan ensures excellent stability at sea and better movement on-board for cruising. With the perfect balance between performance and comfort, you can enjoy a day on the water whatever your passion.



OPEN 6.5



OPEN 5.5



OPEN 7



OPEN 5.5



OPEN 7




OPEN 5.5

OPEN

PRACTICAL

The optimisation of the under-deck storage areas on the Open 7 offer 1250 litres of space for your chosen activities. Whether its skiing, fishing or scuba diving, choose your activity depending on your mood rather than space.





OPEN ACCESSORIES FOR ALL ACTIVITIES



RELAXATION

- The sundeck extension is a must-have for sunbathing. Sit down comfortably and relax all day long.
- Backrest with lateral blocks for optimal comfort
- Bow and several handrails – perfect for children
- Swim platforms




FISHING

- Bow rail
- T-top for protection from the sun and a sporty look.
- Swim platforms – perfect to add space to the aft of the boat and move around safely.



WATER SPORTS

- Roll bar/tow bar – high towing point – ideal for watersports.
- Stereo.
- Rear platforms – perfect for diving.
- T-top for better protection and a sporty look.
- EVA deck comfortable and attractive.



DIVING

- Swim platforms provide plenty of space for diving preparation.
- EVA deck is comfortable and attractive.



OPEN 5.5



OPEN 6.5



OPEN 7



OPEN 3.1



OPEN 3.4



OPEN 4.2



OPEN 4.8

Length overall/inside (m-f)	5,40/4,22	6,10/4,94	6,95/5,714	3.1/2	3.4/2.45	4.2/2.7	4.7/2.92
Width overall/inside (m-f)	2,54/1,39	2,54/1,39	2,54/1,39	1.65/0.71	1.7/1.1	1.9/1.05	2.05/1.05
Weight (Kg-Lbs)	585	610	910	135	155	270	305
Number of passengers	12	15	16 (C)/5 (B)	4	4	6	6
Max power allowed (CV)	130	175	250	30	30	60	80
Tank capacity (l-gal)	100	200	225	24L / 6GAL	24L / 6GAL	46L / 12GAL	46L / 12GAL

STANDARD EQUIPMENT

HULL

Hull polyester in deep V
Anchor locker
2 High volume bailers
Bollard
2 Rear handles for passengers
1 Bow mooring bollard and 2 stern cleats
Bilge pump

TUBE

Strongan™ Duotex™ or Hypalon Neoprene™ fabric
1670 Decitex
Fiberglass bow step with anchor roller with fairlead
Bow chocks
Fish Tail
Valves semi-encastées « Easy push »
Double grab line
Large profile rubstrake

OTHER STANDARD EQUIPMENT

Pilot / co-pilot leaning post, storage
14 Gallon (54l) cooler
Stern seats with removable back rests
Large dashboard
Spacious dashboard
Tilt forward console with front hatch
Integrated fuel tank + water/fuel separator
Surface, 12v/USB socket
Cupholders
Battery switch
Navigation lights
Swim ladder
Mechanical steering system
2 Paddles
Foot pump & pressure gauge
Repair kit and owner's manual





**CONFIGURE
YOURS**



SPECIFICATIONS

MEDLINE

PRIVATE OASIS



Space | Relaxation | Leisure







MEDLINE

RELAXATION

Perfect for long trips on the sea, the Medline is a true private oasis thanks to its transformable sunbathing area. Created with day trips in mind, the Medline range forms part of the new generation of Zodiac boats.




SPACE

The deck space makes it easy to move around. The forward sun lounge area is spacious and easily set up, as is the aft sun deck. Whether swimming, sunbathing or lunching on the beach, every detail has been designed utilising the vast knowledge and experience of Zodiac Nautic.



LEISURE

Now with five models available, the Medline range has been re-imagined with comfort and ease of use in mind whether at anchor or sea. The dimensions and weight of each boat has been optimised to deliver the perfect power-to-weight ratio with ample engine power.



MIX AND MATCH

Choose your GRP, tube and upholstery colour.



MEDLINE 500

Gel Coat



Tube *



*Tubes in "carbon" neoprene available in white and black

Upholstery



MEDLINE 580

Gel Coat



Tube *



*Tubes in "carbon" neoprene available in white and black

Upholstery





MEDLINE 6.8 / 7.5

Gel Coat



Tube *



*Tubes in "carbon" neoprene
available in white and black

Upholstery



MEDLINE 9

Gel Coat



Tube **



**Tubes in "carbon" neoprene
available in white and black

Upholstery



NEW : MEDLINE 6.8

Tired of inviting your friends for dinner at home ?

Invite them on the Medline 6.8 !

A spacious relaxation area for unforgettable days on the water.

- Double front and back saloon, convertible to sundeck area
- Up to 14 seats in standard equipment
- Integrated kitchen with sink (optional: Grill)
- Console integrating a habitable cabin with toilets (optional: bunk bed space)
- Triple position bolster for up to two adults + one child
- Rear bathing platforms giving access to the sea





MEDLINE 500

MEDLINE 580

MEDLINE 6.8

MEDLINE 7.5

MEDLINE 9

Length overall/inside (m-f)	5/4,06	5,80/4,91	6,88/6,34	7,34/6,16	8.90/8.2
Width overall/inside (m-f)	2,24/1,25	2,54/1,44	2,54/1,39	2,90/1,67	3.06/1.86
Weight (Kg-Lbs)	353	601	950	1150	1850
Number of passengers	9	12	14	16 (C) – 6 (B)	20 (C) – 8 (B)
Max power allowed (CV)	80	115	250	300	1x450 / 2x350
Tank capacity (l-gal)	90	90	200	300	400

INCLUDED STANDARD EQUIPMENT ACCORDING TO THE MODEL

A fully equipped console

2 relaxing spaces

Rear U-lounge which can be converted to a convivial and relaxing area

Up to 10 seating places and 14 passengers on board

5 lockers

Safer seats and backrests

A nice premium quality upholstery, with a "sofa effect" texture which is produced by our partner Serge Ferrari

64 colour configurations are available

MEDLINE 580



COMFORT PACK

Bimini
Shower kit
Table



PACK SUNNY

Shower kit
Ski mast
Audio Fusion Pack
Bolster shelf



ELEGANCE PACK

Shower kit
Table
Audio Fusion Pack
Bimini
EVA deck
GPS 9" GARMIN
Sensor/Probe to glue
Bolster shelf

MEDLINE 6.8



COMFORT PACK

Front sundeck extension
Shower kit, handrails,
Table
Rear sundeck



SPORT PACK

Ski pole
Roll bar
Bimini
Audio Fusion
2 loudspeakers



ELEGANCE PACK

Black console decor
GPS 9"
Shower kit
Ski pole
EVA deck
Roll bar + Bimini
Retractable seat
Transducer to glue
Audio Fusion
2 loudspeakers
Table
Rear sundeck

MEDLINE 7.5



COMFORT PACK

Kit sunbed cushion
+ Comfort backrest behind
bolster
Sundeck
Front sundeck extension



SPORT PACK

Ski mast
Kit Fusion (2 loudspeakers)
Roll bar
Slide-up bimini
Kit sunbed cushion
+ Comfort backrest behind
bolster



ELEGANCE PACK

Console decor
EVA deck
Courtesy lights
GPS 9"
Sensor/Probe to glue
Kit Fusion + 2 loudspeakers
Ski mast
Roll bar grey
Slide-up bimini
2 HP fusion sup
Kit sunbed cushion +
Comfort backrest behind
bolster
Rear sundeck

MEDLINE 9



COMFORT PACK

Ski pole
Fridge
Audio Fusion + 4 louds-
peakers
Table + front sundeck



SPORT PACK

Slide-up bimini
Ski pole
Roll bar (+ light)
Audio Fusion + 4 louds-
peakers



ELEGANCE PACK

Front balcony
Slide-up bimini
GPS Garmin
Ski pole
Roll bar (+ light)
Transducer to glue
Audio Fusion + 4 louds-
peakers
Table + front sundeck


**CONFIGURE
YOURS**



SPECIFICATIONS

N-Z0

PREMIUM CRUISING




Design | Comfort | Ergonomics



MIX AND MATCH

Choose your GRP, tube and upholstery colour.



N-ZO 680

Gel Coat



Tube *



* Tubes in "carbon" neoprene available in white and black

Upholstery



N-ZO 700 CABIN

Gel Coat



Tube *



* Tubes in "carbon" neoprene available in white and black

Upholstery



N-ZO 760



Gel Coat




Tube *



* Tubes in "carbon" neoprene available in white and black

Upholstery



N-ZO ACCESSOIRES



N-ZO 680



N-ZO 700 CABIN



N-ZO 760

Length overall/inside (m-f)	6,8/5,82	6,99/6,37	7,60/6,38
Width overall/inside (m-f)	2,54/1,30	3,21/2,40	3,04/1,70
Weight (Kg-Lbs)	1058	1489	1530
Number of passengers	14	14	18
Max power allowed (CV)	300	300 - 2 x 150	350 - 2 x 150
Tank capacity (l-gal)	212	310	300

STANDARD EQUIPMENT

Integrated fuel tank
Self-bailing deck when empty
Front sundeck
Hydraulic steering
Navigation lights
Ski mast arch
Electric windlass (700 Cabin only)
Electric toilet and sweet water (700 Cabin only)



N-ZO 680



PACK ESSENTIAL

Standard steering wheel
Table
Electric ice box
Bimini



PACK SMART

Premium steering wheel
Table
Electric ice box
Console decor
Audio Fusion Pack
Courtesy lights
Bimini



PACK DELUXE

Premium steering wheel
Table
Electric ice box
Console decor
Audio Fusion Pack
Courtesy lights
Bimini
EVA deck
Console + bolster gel coat black
Equipment "Colour Paint Finish" (ski mast + handrail)

N-ZO 700C



PACK ESSENTIAL

- Standard steering wheel
- Bimini
- Fridge
- Table



PACK SMART

- Premium steering wheel
- Bimini
- Fridge
- Table
- Console
- Audio Fusion Pack
- Courtesy lights
- GPS 7" GARMIN
- Sensor/probe



PACK DELUXE

- Premium steering wheel
- Bimini
- Fridge
- Table + table cushion
- Console decor
- Audio Fusion Pack
- Courtesy lights
- EVA deck
- Console + bolster gel coat black
- Equipment "Colour Paint Finish" (ski mast + handrail + pulpit)
- GPS 7" GARMIN
- Sensor/probe

N-ZO 760



PACK ESSENTIAL

- Standard steering wheel
- Fridge
- Rear sundeck extension
- Bimini



PACK SMART

- Premium steering wheel
- Fridge
- Rear sundeck extension
- Bimini
- Console decor
- Audio Fusion Pack
- Courtesy lights
- GPS 7" GARMIN
- Sensor/probe



PACK DELUXE

- Premium steering wheel
- Fridge
- Rear sundeck extension
- Bimini
- Console decor
- Audio Fusion Pack
- Courtesy lights
- EVA deck
- Console + bolster black
- Equipment "Colour Paint Finish" (ski mast + handrail)
- GPS 7" GARMIN
- Sensor/probe

CONFIGURE
YOURS



SPECIFICATIONS

EJET 450

100%
ELECTRIC

no oil,
no fuel,
no maintenance



100% ELECTRIC

With the development of eJET 450, Zodiac Nautic is doubling down on its commitment to keep exploring the future of the boating industry. Together with the world leader in marine electric propulsion, Torqeedo, which produces the electric engine Deep Blue 50kW and with the latest generation of automotive battery (BMW) 40kWh, eJET 450 gets 90 min of range at 24 knots (8 hours at 5 knots). It achieves a max speed of 30 knots thanks to the revolutionary HydroJet technology. eJET has a high quality Neoprene tube, exceptional retractable seating, and upholstery by Serge Ferrari, with a quilted finish sewn in France by hand.



2m

Width



4,50 m

Length



1h30 at 25 knots

Autonomy



30 knots

Maximum speed



80i/50 kW

Torqeedo Deep Blue
electric motor



6+1

Maximum people



10 hours

Recharge time

TENDERS

— FOLDABLES — RIGID-HULLED INFLATABLE

SEMI RIGIDI YACHTLINE

Yacht line deluxe



2 METERS

3 METERS



4 METERS

5 METERS



CADET RIB ALU

Lightness and strength



CADET

The market reference



56



RIGID-HULLED
YACHTLINE
CADET RIB ALU

62



FOLDABLES
CADET

YACHTLINE

YACHT LINE DELUXE

490

440

400

360



Luxury | Fun | Performance



YACHTLINE

The YACHTLINE RIB tender range enhances style, equipment and comfort. Their compact size allows for easy platform or fly bridge storage without compromising on seating. The design of the boarding steps also ensures maximum stability when getting on-board.

The YACHTLINE hull with integrated wings has been designed to perform with the most powerful four-stroke engines. It has the characteristics to allow for a multitude of activities on the water to create the perfect partner for your yacht.



**360****400****440****490**

Length overall/inside (m-f)	3.60/2.00	4.00/2.40	4.40/2.80	4.90/2.98
Width overall/inside (m-f)	1.77/0.86	1.77/0.86	1.86/0.94	2.05/1.05
Weight (Kg-Lbs)	200	218	273	390
Number of passengers	4	5	6	9
Max power allowed (CV)	40	50	50	90
Tank capacity (l-gal)	35	35	57	85

STANDARD EQUIPMENT

HULL

Polyester hull in V shape with integrated wings
Non-slip counter-molded deck
Multiple lockers

TUBE

Choice in fabric: neoprene 1100 decitex, or Strongan™
Duotex™ 2 x 1100 decitex (except 490)
Removable tube
Easy-Push valves
Handles
Large-profile rubbing strake
Cone reinforcements

STANDARD EQUIPMENT

Console with steering, 3 switches, glove box,
12/V USB plug
Integrated fuel tank + gauge + water/fuel separator
Bow step with integrated navigation lights,
courtesy LEDs
and retractable cleat
Lateral boarding steps
Entire upholstery
2 stainless steel mooring cleats
3 lifting points
Deck lighting
Navigation lights
Battery switch
Automatic bilge pump

OPTIONAL ACCESSORIES

Lifting slings
Backrest
Windscreen
Mooring cover / Protection cover
Ski mast (490)
Lateral swimming ladder



SPECIFICATIONS

TENDERS

RIGID-HULLED



CADET RIB ALU

Lightness and robustness

Zodiac Nautic has completed its tender range with a new series of aluminium hulls. These ultra-light tenders are easy to handle and have a low impact on the davits of your boat. The large diameter tubes ensure stability and the ability to plane quickly so everything in your boat remains safe and dry.




CADET

The market's standard

Setting the industry's benchmark, the Cadet range utilises top quality materials and assembly systems to guarantee resistance and durability. With a complete range of accessories available, you can find top Zodiac Nautic patented products such as rowlock and its tridimensional adjustment or the internal command drain plug to make your inflatable safer to use. Available in three floor options (depending on model size) to suit your load requirements.



MODELS				
200	230	270	310	350
Aero	Aero	Aero	Aero	Aero
Roll up	Roll up	Roll up	×	×
×	×	Alu	Alu	Alu



ZODIAC NAUTIC SERVICES

AN INTERNATIONAL NETWORK OF TRUST

Present in more than 50 countries around the world, Zodiac Nautic and its 1.600 Agents will put their expertise at your service. Our network guarantees an efficient and reliable after-sale service: whether you need a new accessory or replacing a lost part, you are sure to find a Zodiac Nautic dealer putting their skills to work for you. **Our agents sometimes do the maintenance of the same boat for more than 20 years!**

Do not hesitate to consult them: they will know how to advise you when buying your boat or upkeeping it. We count on them, they deserve your trust.

Find our dealers:

WWW.ZODIAC-NAUTIC.COM

*CADETS = 2 ans de garantie. Voir conditions et zones géographiques d'application auprès de votre distributeur.

N-ZO, MEDLINE, PRO, OPEN, YACHTLINE = 5 ans de garantie sous conditions (2 ans à l'achat + 3 ans si inscription au club ZODIAC) Voir conditions et zones géographiques d'application auprès de votre distributeur.

WARRANTY*

5
YEARS

ZODIAC







ZODIAC NAUTIC WORLD

THE ZODIAC NAUTIC WORLD IS YOURS

#ZODIACBOAT



Zodiac Nautic



@ZodiacNautic



Zodiac_nautic



Zodiac Nautic



Zodiac Nautic



VISIT
OUR WEBSITE

BOATS SPECIFICATIONS

	N ZO			MEDLINE				
	680	700 cabin	760	500	580	68	75	9
DIMENSIONS (METERS – FEET)								
Length overall (m - f)	6,8 - 22'4"	6,99 - 22'11"	7,60 - 24'11"	5 - 16'5"	5,80 - 19'	6,88 - 21'8"	7,34 - 24'1"	8,9 - 29'2"
Inside length (m - f)	5,82 - 19'1"	6,37 - 20'11"	6,38 - 20'11"	4,06 - 13'4"	4,91 - 16'1"	6,34 - 20'8"	6,16 - 20'3"	8,2 - 26'1"
Width overall (m - f)	2,54 - 8'4"	3,21 - 10'6"	3,04 - 9'12"	2,24 - 7'4"	2,54 - 8'4"	2,54 - 8'4"	2,90 - 9'6"	3,06 - 10'
Inside width (m - f)	1,30 - 4'3"	2,40 - 7'10"	1,70 - 5'7"	1,25 - 4'1"	1,44 - 4'9"	1,39 - 4'7"	1,67 - 5'6"	2,03 - 6'8"
Buoyancy tube diameter (m - f)	0,60 - 2'0"	0,65 - 2'2"	0,65 - 2'2"	0,50 - 1'8"	0,55 - 1'10"	0,57 - 1'11"	0,6 - 1'12"	0,6 - 1'12"
Hull angle	NC	NC	NC	NC	NC	24°	NC	24°
CAPACITY								
Design categories	C + D	B + C +D	B + C	C	C	C	B + C	B+C
Number of passengers (ISO)	14	14 (C+D) - 7 (B)	18 (C) - 7 (B)	9	12	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Maximum authorized payload (Kg – lbs.)	1480 - 3263	2036 - 4489 (C) 1661 - 3662 (B)	2080 - 4585 (C) 1250 - 2755 (B)	1232 - 2716	1420 - 3131	NC	1730 - 3814 (C) 980 - 2161 (B)	NC
Total weight (Kg – lbs.)	1058 - 2332	1489 - 3283	1530 - 3373	353 - 778	601 - 1325	950 - 2094	1150 - 2535	1850 - 4079
Number of airtight compartments	6	6	6	5	5	5	5	7
ENGINE								
Transom length	Extra Long	XXL en mono XL en bi-moteurs	XXL en mono XL en bi-moteurs	Long	Extra Long	Extra Long	Extra Long	1x XXL / 2x XL
Maximum allowed power (Hp)	200	300 - 2 x 150	350 - 2 x 150	80	115	250	300	1x450 / 2x350
Maximum allowed power (kW)	147	221 - 2 x 110	257 - 2 x 110	60	86	NC	220	NC
Maximum allowed weight of engine (Kg-lbs)	393 - 866	393 - 866 2 x 258 - 2 x 569	393 - 866 2 x 258 - 2 x 569	191 - 421	244 - 537	300 - 661,3	385 - 849	460 (2x 348) - 1014 (2x 767)

OPEN			PRO						
5.5	6.5	7	420	500	5.5	6.5	7	750	850

5,40 - 17'9"	6,10 - 20'	6,95 - 22'10"	4,20 - 13'9"	4,70 - 15'5"	5,40 - 17'9"	6,10 - 20'	6,75 - 22'2"	7,50 - 24'7"	8,50 - 27'11"
4,22 - 13'10"	4,93 - 16'2"	5,71 - 18'9"	2,90 - 9'6"	3,38 - 11'1"	4,25 - 13'11"	4,94 - 16'2"	5,71 - 18'9"	6,16 - 20'3"	7,45 - 24'5"
2,54 - 8'4"	2,54 - 8'4"	2,54 - 8'4"	1,90 - 6'3"	2,05 - 6'9"	2,54 - 8'4"	2,54 - 8'4"	2,54 - 8'4"	2,90 - 9'6"	3,00 - 9'10"
1,39 - 4'7"	1,39 - 4'7"	1,39 - 4'7"	0,95 - 3'1"	1,05 - 3'5"	1,39 - 4'7"	1,39 - 4'7"	1,39 - 4'7"	1,65 - 5'5"	1,85 - 6'1"
0,575 - 1'11"	0,57 - 1'11"	0,575 - 1'11"	0,455 - 1'6"	0,50 - 1'8"	0,57 - 1'10"	0,57 - 1'11"	0,57 - 1'10"	0,60 - 1'12"	0,60 - 1'12"
24°	24 °	24°	19°	22°	24°	24 °	24°	22°	24°

C	C	B + C	C	C	C	C	B + C	B + C	B + C
12	15	16 (C) - 7(B)	7	9	12	15	16 (C) - 5 (B)	20 (C) - 7 (B)	25 (C) - 8 (B)
1410 - 3108	1770 - 3902	1990 - 4387 (C) 1400 - 3086 (B)	780 - 1720	1060 - 2337	1550 - 3417	2050 - 4520	1960 - 4321 (C) 1160 - 2557 (B)	1830 - 4034 (C) 1155 - 2546 (B)	2800 - 6173 (C) 2050 - 4519 (B)
585 - 1290	760 - 1676	910 - 2006	181 - 399	230 - 507	430 - 948	610 - 1345	790 - 1741	860 - 1896	1450 - 3197
5	5	5	3	5	5	5	5	5	7

Long	XL	Extra Long	Long	Long	Long	XL Long	XL mono L en bi	XL mono L bi-engine	XXL mono XL bi-engine
130	175	250	50	70	115	175 - 2 x 90	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250
97	131	186	37	52	84	131 - 2 x 66	183 - 2 x 95	220 - 2 x 110	257 - 2 x 183
225 - 496	282 - 622	300 - 661	115 - 253	170 - 374	225 - 496	282 622 - 2 x 220 - 2 x 440	293 - 645	300 - 661 2 x 240 - 2 x 529	393 - 866 2 x 300 - 2 x 661



BOATS SPECIFICATIONS

YACHTLINE				CADET RIB ALU ULTRA LIGHT VERSION					CADET RIB ALU FLAT/V DECK VERSION			
360	400	440	490	240	270	300	330	360	300	330	360	390

DIMENSIONS

Length overall	3,60 - 11'10"	4,00 - 13'1"	4,40 - 14'5"	4,90 - 16'1"	2,43-8'	2,73-8'11"	3,03-9'11"	3,33-10'11"	3,63-11'11"	3,00-9'10"	3,30-10'10"	3,60-11'10"	3,90-12'10"
Inside length	2 - 6'7"	2,4 - 7'11"	2,8 - 9'2"	2,98 - 9'9"	1,66-5'5"	1,8-6'3"	2,10-6'11"	2,30-7'7"	2,70-8'10"	2,10-6'11"	2,30-7'7"	2,70-8'10"	3,00-9'84"
Width overall	1,77 - 5'10"	1,77 - 5'10"	1,86 - 6'1"	2,05 - 6'9"	1,67-5'6"	1,67-5'6"	1,67-5'6"	1,67-5'6"	1,67-5'6"	1,67-5'6"	1,67-5'6"	1,67-5'6"	1,67-5'48"
Inside width	0,86 - 2'10"	0,86 - 2'10"	0,94 - 3'1"	1,05 - 3'5"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'56"
Buoyancy tube diameter	0,455 - 1'6"	0,455 - 1'6"	0,455 - 1'6"	0,5 - 1'8"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'35"

CAPACITY

Number of passengers (ISO)	4	5	6	9	3	4	4+1	5	6	5	6	6	7
Max. authorized payload (Kg – lbs.)	605 - 1334	735 - 1620	850 - 1874	945 - 2083	298-657	396-873	496-1094	551-1,215	600-1341	463-1021	548-1209	558-1231	643-1418
Total weight (Kg – lbs.)	193 - 426	218 - 481	273 - 602	390 - 860	33-73	37-82	43-95	47-104	50-111	58-128	62-137	68-150	74-164
Nbre of airtight compartments	3	3	3	5	3	3	3	3	3	3	3	3	3

ENGINE

Transom length	long	long	long	long	court	court	court	court	court	court	court	court	court
Max. allowed power (Hp)	40	50	60	90	6	10	15	15	30	15	15	30	30
Max. allowed power (kW)	30	38	45	68	4,5	8	11	11	22	11	11	22	22
Max. allowed weight of engine (Kg-lbs)	119 - 262	119 - 262	128 - 282	179 - 395	33-73	51-113	56-124	56-124	89-197	56-124	56-124	89-197	89-197

CADET				
200 Roll Up / Aéro	230 Roll Up / Aéro	270 Roll Up / Alu / Aéro	310 Alu / Aéro	350 Alu / Aéro

2,00-6'7"	2,30-7'7"	2,70-8'10"	3,10-10'2"	3,50-11'6"
1,26-4'2"	1,44-4'9"	1,75-5'9"	2,20-7'3"	2,58-8'6"
1,34-4'5"	1,34-4'5"	1,53-5'	1,55-5'1"	1,72-5'8"
0,62-2'	0,62-2'	0,68-2'3"	0,68-2'3"	0,83-2'9"
0,36-1'2"	0,36-1'2"	0,43-1'5"	0,44-1'5"	0,45-1'6"

2	3	3+1	5	6
180/210-397/463	270/300-596/662	370/450/420-816/993/926	600/570-1323/1257	650/620-1433/1367
20-45	22/24-49/53	29/37/31-64/82/69	49/35-109/78	67/42-148/93
2/2+1	2/2+1+1	3/3+1/3+1+1	3+1/3+1+1	3+1/3+1+1

court	court	court	court	court
3	4	4/8/6	15/10	20/15
2	3	3/6/4,5	11/8	15/11
18-40	27-60	27/42/27-60/93/60	55/52-122/115	55-122



The maximum permitted load has been calculated according to the ISO standard.
 This document may refer to registered trademarks of other companies.
 Such references are merely indicative and do not represent a commitment.

Continuously seeking the product improvement, Zodiac Nautic reserves the right to modify or improve the design or the definition of their products at any moment without a prior notification and without retroactive effect on previously constructed boats.

This document cannot be considered as a contractual document.
 Non-contractual pictures.

Warranty extensions are available for certain products and in certain geographical zones. The information is available from your distributor or on www.zodiac-nautic.com

Z Nautic reserves the right to modify the characteristics of its products at any time without notice (tolerance +/- 3 % on dimensions, +/- 5% on the weight and speeds).
 Zodiac Nautic™ is a registered trademark - Copyright Zodiac Nautic™. Z Nautic SAS, capital of 7 095 000 Euros - SIRET 812 206 340 000 26 APE 4778C - SIREN 812 206 340 - RCS TOULOUSE N° TVA 81 812 206 340. 2 Chemin de la Val Priout 31450, AYGUESVIVES - FRANCE

