



2019

# WHY A RIB?




## SECURITY

The buoyancy tubes of Zodiac boats have several compartments, separated by waterproof partitions. Thanks to its important air reserves, the boat keeps its ability to float and stays virtually unsinkable when fully loaded, even with a deflated compartment.



## REASSURING STABILITY

With buoyancy distributed on the sides and a low centre of gravity, Zodiac boats are almost impossible to capsize when loaded.



## EXCEPTIONAL LOAD

You counted right! There are 12 football players onboard this Zodiac boat. The Zodiac boat has an exceptional weight / area-below-water ratio, giving the boat a considerable load-bearing capacity.



Gérard garnier, Futura 1987, 55 knots

## REMOVABLE TUBE, A ZODIAC NAUTIC EXCLUSIVE

Built in fenders mean less stress when docking. When maneuvering, the boat will bounce without damage if it happens to lightly tap a dock or neighboring boat in the harbor.



Entirely removable. The tube can be taken apart and folded, which allows for easier maintenance, repair, transportation and storage.

## CHANGE YOUR BUOYANCY TUBES?

Nothing easier. The tubes can be removed from the hull – ideal to renovate or restyle your boat at a lesser cost.

## ECONOMICAL

Due to its power-to-weight ratio, rib consumes less fuel. You need a smaller hp engine to perform the same as a traditional hull.

## MORE AFFORDABLE AND MORE PRACTICAL

When buying and when maintaining, the semi-rigid is less expensive than a hull. In most cases a large truck is not required to tow.





# BENEFITS OF A RIB



**A TRUE 4X4  
OF THE SEA**

# MORE SEA-WORTHY

The unique combination of a very low center of gravity, a deep-v hull and added stabilization of the tubes gives the rigid-hulled inflatable speed and sea-crossing capacities without compromising comfort or safety.



PRO 850 CUSTOM



# QUALITY

## THE HULL

An internal structure of rot resistant polyester built with a spar and floors network guarantees a single-block linking between the hull and deck. This results in a performance-favourable rigidity and resistance to impact in all types of loading conditions.


## THE TUBES

Zodiac nautic developed a unique industrial process to assemble its buoyancy tubes: thermobonding. This process consists of welding the pieces of strongan™ material together to offer a material that is both waterproof and durable, almost indestructible. Zodiac nautic is the only manufacturer to master the welding of all structuring materials of an inflatable boat, thus guaranteeing exceptional longevity and security.



## QUALITY TEST

Zodiac nautic carefully selects the materials that constitute its boats, following strict, nonstandard functional specifications. Zodiac nautic is the only manufacturer to subject every new boat to a battery of extreme condition tests. Your Zodiac boat is sure to last. Opposite: a test of 2-meter fall







120 Years of experience and inventor of the inflatable boat, Zodiac Nautic offers products with exceptional resistance and reliability thanks to the materials and processes that are always at the cutting edge of technology.



# RANGE

3 METERS / 9'10"

4 METERS / 13'1"


5 METERS / 16'4"

6 METERS / 19'8"


7 METERS / 23'

8 METERS / 26'3"


**PRO**  
À la carte



**OPEN**  
All-in-one




**MEDLINE**  
Private oasis



**N-ZO**  
Premium cruising



**CLASSIC**  
The original



**FUTURA**  
Master of the sea



RIGID-HULLED INFLATABLE

FOLDABLE



12

**PRO**  
À la carte



36

**MEDLINE**  
Private oasis



24

**OPEN**  
All-in-one



46

**N-ZO**  
Premium cruising



56

**CLASSIC**  
The original




57

**FUTURA**  
Master of the sea

# PRO

## À LA CARTE



Practicality | Adaptation | Wide variety





PRO 7



PRO 7



PRO 5.5



PRO 5.5



PRO 7



PRO 7



PRO 7



PRO 5

PRO

# PRACTICALITY

Appreciated by all, the pros are equipped with a removable buoyancy tube that facilitates the upkeep. Their “platform” deck offers multiple layout combinations.



## WIDE DIAMETER REMOVABLE TUBE

Stable and a reassuring hollow inside.

## DEEP V-SHAPED FIBER GLASS HULL

Comfort and high performance on heavy seas.

## GREAT USE OF SPACE

Large available surface for multiple fittings. Wide storage space under the deck and a sizable tank for a wider range.

## MOULDED SELF-BAILING DECK ON NEW GENERATION

Ease of use: safety and maintenance user friendly.

## NEW CONES ON NEW GENERATION

Easy access to the bathing ladder.

PRO 5.5



# ADAPTATION

Diving, fishing, water-sports, work or leisure, choose and compose the layout of your deck according to your lifestyle and preferences. Your pro adapts!




DIVING

PRO 7 IN DIFFERENT CONFIGURATIONS



FISHING

PASSENGER TRANSPORT



EXPLORATION

# WIDE VARIETY




The pro offers unrivalled possibilities of layout and personalization.

- Numerous color combinations, hull, tubes, accessories, tank integration...
- Position of the equipment: console and seats fixed where you want on the deck, depending on the owner's manual.
- Choice of driving position: seated or standing
- A large offer from 4.20M to 8.50M

## CONSOLES

								
	Jockey console 1 seater white	Optima 800 console side mount grey/white	Optima 800 console grey/white	Optima 800 ftc console grey/white (68l/18gal)	Jockey console 2 seaters grey/white	Pro hl console light/dark grey	Pro hls console/seater light/dark grey	Pro hxl console light/dark grey
	Z1418	Z61451/Z61390	Z61450/Z61389	Z61452/Z61391	Z61247/Z61168	Z61727/Z61731	Z61728/Z61732	Z61729/Z61733
420	•	•			•			
500	•		•	•	•			
5.5						•	•	•
6.5						•	•	•
7						•	•	•
750						•	•	•
850						•	•	•

## SEATS

							
	Optima 525 seaters white/grey	Optima 450 1 seater without backrest white/grey	Bolster tube mono	Bolster tube double	Bolster optima grey/white	Bolster pro light/dark grey	3-Seater bench seat (removable)
	Z61217/Z61212	Z61426/Z61427	Z61815	Z61778	Z61235/Z61236	Z61720/Z61721	Z61726
420	•	•	•				
500	•	•	•		•		
5.5			•	•		•	•
6.5			•	•		•	•
7			•	•		•	•
750	•		•	•		•	
850	•		•	•		•	





Pro hxls console/seater light/dark grey  
Z61730 /Z61734

Optional instrumental panel for hl console light/dark grey  
Z61735/Z61737

Optional instrumental panel for hxl console light/dark grey  
Z61736/Z61738

High handrail for l console  
Z61637

High handrail for xl console  
Z61638

Console foot rest (unit)  
Z61639

•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•



3-Seater bench seat (fixed)  
NC

Jockey seat pro 1 seater light/dark grey  
Z61722/Z61723

Bolster's backrest pro  
Z61650

Front handle for jockey seat  
Z61675

•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•

**PANORAMIC WINDSCREEN**  
Protection against wind and sea spray.

**HANDRAIL**  
Wide diameter, comfortable grip, robust, and ergonomic.



**INSTRUMENT PANEL**  
Large, standard dashboard for all your instruments. Plus the choice to enlarge the dashboard with the optional dashboard upper section.

**TIPPING CONSOLE**  
Practical for storage, makes it possible to reduce height for winter storage.













# EQUIPMENT

COMFORT EQUIPMENT

									
	Z1198/Z1199	Z61641	Z61643	Z61642	Z61644	Z61599	Z61751	Z61584	Z61294
420	•								
500	•								
5.5		•	•	•	•	•	•		•
6.5		•	•	•	•	•	•		•
7		•	•	•	•	•	•		•
750		•	•	•	•	•	•		•
850		•	•	•	•	•	•	•	•

DECK EQUIPMENT

										
	Z61149	Z1167	Z61645	Z61768	Z61814	Z61694	Z61743	Z61296	Z61394 / Z61395 / Z61297	Z2656
420							•	•	•	
500		•					•	•	•	
5.5			•	•	•	•	•	•	•	
6.5			•	•	•	•	•	•	•	
7			•	•	•	•	•	•	•	
750	•							•	•	•
850	•							•	•	•

## PROTECTION



T-top black alu (mini)

Z61684



T-top black alu (standard)

Z61683



Bimini

Z1088



Mooring cover (boat only)

Z61075



Covers (console, bolster, back seat)

Z61260/Z61259

420				
500				
5.5	HL/HLS			•
6.5	HL/HLS	HL/HLS		•
7	HL/HLS	HL/HLS		•
750	HL/HLS	HXL/HXLS		•
850	HL/HLS	HXL/HXLS		•

## ELECTRONICAL



Navigation lights red/green (on roll bar or console)

Z60853



White lights 360°

Z67307

420	•	•
500	•	•
5.5	•	•
6.5	•	•
7	•	•
750	•	•
850	•	•



# EQUIPMENT

PRO


# 3D CONFIGURATOR



Colors



Equipment



Engine

[www.zodiac-nautic.com](http://www.zodiac-nautic.com)



PRO 420    PRO 500    PRO 5.5 new generation    PRO 6.5 spring 2019    PRO 7 new generation    PRO 750    PRO 850

Length overall/inside (m-f)	4,20/2,90 - 13'9"/9'6"	4,70/3,38 - 15'5"/11'1"	5,40/4,25 - 17'9"/13'10"	TBD	6,75/5,71 - 22'10"/18'9"	7,50/6,16 - 24'7"/20'3"	8,50/7,45 - 27'11"/24'5"
Width overall/inside (m-f)	1,90/0,95 - 6'3"/3'1"	2,05/1,05 - 6'9"/3'5"	2,54/1,39 - 8'4"/4'7"	TBD	2,54/1,39 - 8'4"/4'7"	2,90/1,65 - 9'6"/5'5"	3/1,85 - 9'10"/6'1"
Weight (Kg-Lbs)	181 - 399	230 - 507	430 - 948	TBD	790 - 1741	860 - 1896	1450 - 3197
Number of passengers	7	9	12	TBD	16	20	25
Max power allowed (CV)	50	70	115	TBD	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250
Tank capacity (l-gal)	ø	ø	100 - 26	TBD	200 - 52	310 - 82	400 - 106

## STANDARD EQUIPMENT

### HULL

- Deep V fiberglass hull
- Moulded in deck light grey or dark grey
- Anchor locker, can be padlocked
- Stern flush deck locker , + 1 front locker
- 2 High volume bailers
- 1 Bow mooring bollard
- 2 Stern cleats
- Technical area
- 1 Bow ring
- 2 Towing rings

### TUBE

- Removable tube
- Strongan™ - DUOTEX™ fabric 2x1100 decitex (Pro 5.5)
- Hypalon™- Neoprene™ fabric (Pro 7; option on Pro 5.5)
- Fiberglass bow step inc. Anchor roller
- Bumper cone
- Semi-recessed valves
- Double grab line
- Anti-slip patches
- Large profile rubstrake
- 4 External handles

### ADDITIONAL EQUIPMENT

- Integrated fuel tank + water/fuel separator
- Battery switch
- Bathing ladder
- 2 Paddles
- Foot pump & pressure gauge
- Repair kit
- Owners manual

### COLOR

	Strongan™	Hypalon Neoprene™	Hull
420/500	Black   Red	Grey	White   Grey
5.5	Red   Black   Grey	Blue   Red   Black   Normal grey   Light grey	Dark grey   Light grey
7		Blue   Red   Black   Normal grey   Light grey	Dark grey   Light grey
750		Red   Black   Normal grey   Light grey	Dark grey
850		Black   Normal grey	Dark grey



PRO 5.5

# SPECIFICATIONS

# OPEN

## ALL-IN-ONE

- 7  
new generation
- 6.5  
spring 2019
- 5.5  
new generation



OPEN 5.5



Performance | Versatility | Storage





OPEN 7



OPEN 5.5



OPEN 5.5



OPEN 5.5



OPEN 5.5



OPEN 7



OPEN 7

# OPEN

## VERSATILITY

A true swiss-army knife, useful in all activities, the open is the cross-over of the seas. The versatility of this rigid-hulled inflatable has been thought out in every detail that you can live your passion for the sport.

### TILT FORWARD CONSOLE

- Easy to winterize or store in the garage
- easy maintenance



**LARGE DIAMETER REMOVAL TUBE FUNCTIONAL**  
Stable and safe.

**DEEP V FIBERGLASS HULL**  
Combining comfort and performance in strong seas.

**MAXIMUM INTERNAL USAGE OF THE DECK**  
Plentiful space for mobility on deck. Exceptional storage volume and large fuel tank for more autonomy.

**MOULDED SELF-BAILING DECK**  
Ease of use: safety and maintenance user friendly.

**NEW CONE**  
Easy access to the swimming ladder.

## OPEN 7

## 3 TUBE COLORS

### OPEN 5.5



## OPTION:

EVA DECK/ 2 COLORS



OPEN 7

OPEN

## PERFORMANCE

With excellent stability at sea thanks to its v-hull and optimized deck plan for better movement onboard, the open offers exceptional cruising. It is the perfect balance between performance and comfort. You can enjoy any day at sea with family and friends whatever your passion may be.



OPEN 7



OPEN 5.5



OPEN 7



OPEN 55



OPEN 7




OPEN 55

OPEN

## STORAGE

The optimization of storage areas on the deck is accessible through the movable console, offering a more-than-generous space for all your gear (skis, fishing, diving, security).







# OPEN ACCESSORIES FOR ALL ACTIVITIES



## RELAXATION

- Sundeck extension > a must-have for sunbathing - sit down comfortably and relax all day long.
- Backrest with lateral blocks for optimal comfort.
- Bow > several handrails, perfect for children.
- Swim platforms



## FISHING

- Multifix range (fishing rod - lures - cup holders...)
- Bow rail
- T-top for protection from the sun and a sporty look.
- Swim platforms > perfect to add space to the aft of the boat and move around safely.



## WATER SPORTS

- Roll bar/tow bar > high towing point - ideal for watersports.
- Stereo.
- Rear platforms > perfect for diving.
- T-top for better protection and a sporty look.
- EVA deck comfortable and attractive.



## DIVING

- Swim platforms provide plenty of space for diving preparation.
- Multifix range > cup holder, flag holder etc.
- Storage for dive tanks under the bolster.
- EVA deck is comfortable and attractive.



**OPEN 5.5**  
new generation



**OPEN 6.5**  
new generation

**OPEN 7**  
new generation

Length overall/inside (m-f)	5,40/4,22 - 17'9"/13'10"	NC	6,95/5,714 - 22'10"/18'9"
Width overall/inside (m-f)	2,54/1,39 - 8'4"/4'7"	NC	2,54/1,39 - 8'4"/4'7"
Weight (Kg-Lbs)	585 - 1290	NC	910 - 2006
Number of passengers	12	NC	16 (C)/5 (B)
Max power allowed (CV)	130	NC	250
Tank capacity (l-gal)	100 - 26	NC	225 - 59

## STANDARD EQUIPMENT

### HULL

- Hull polyester in deep V
- Anchor locker
- 2 High volume bailers
- Bollard
- 2 Rear handles for passengers
- 1 Bow mooring bollard and 2 stern cleats
- Bilge pump

### TUBE

- Strongan™ duotex™ or hypalon Neoprene™ fabric
- 1670 Decitex
- Fiberglass bow step with anchor roller with fairlead
- Bumper cone
- Semi-recessed valves
- Double grab line
- Large profile rubstrake

## OTHER STANDARD EQUIPMENT

- Pilot / co-pilot leaning post, storage
- 14 Gallon (54l) cooler
- Stern seats with removable back rests
- Large dashboard
- Tilt forward console with front hatch
- Integrated fuel tank + water/fuel separator
- Surface, 12v/usb socket
- Cupholders
- Battery switch
- Navigation lights
- Swim ladder
- Mechanical steering system
- 2 Paddles
- Foot pump & pressure gauge
- Repair kit and owner's manual



# SPECIFICATIONS

# MEDLINE

## PRIVATE OASIS

- 850
- 7.5  
spring 2019
- 660 + COLOR EDITION
- 580 + COLOR EDITION
- 500



Relaxing | Leisure | Space





MEDLINE 850



MEDLINE 740



MEDLINE 660 COLOR



MEDLINE 580



MEDLINE 660

## MEDLINE

### RELAXING

Perfect for long trips on the sea, the medline is a true private oasis thanks to its transformable surface, which can be transformed into a sunbathing area. Created for long day trips, the medline range is part of the new generation of Zodiac boats: rigid-hulled inflatable openly oriented towards leisure. The arrangement allows to transform the deck into a vast sun lounge, to create a “private oasis” area.



MEDLINE 660



MEDLINE 660

### SPACE

The deck plans allow ease of movement. The forward sun lounge area is spacious and easily set up, as is the aft sun deck. Whether sunbathing, lunching at a beach or swimming, the equipment, comfortable seats and low maintenance buoyancy tubes, every detail is the result of the experience of Zodiac Nautic and its vast knowledge base.





MEDLINE 850



## LEISURE

Extended to 5 boats, the medline range has been rethought for comfort and ease of use, whether at anchor or at sea. The dimensions and the weight of each boat has been optimized to obtain a perfect weight / power ratio in order to have moderate engine power and simplify the maneuvers for launching and storage.



MEDLINE 850



MEDLINE 740

NEW: MEDLINE 7.5

RELEASE SPRING 2019



Extra large u-shaped aft seating area, comfortably seats up to 8. Convertible to a large rear sunbathing platform.



- 12 Seats
- Large storage under console and underneath back seat
- Approval - of 7 meters for exemption of tax



- 3 Tube colors
- 3 Upholstery colors
- 2 Gel coat colors

## NOUVEAU: MEDLINE 7.5

Kitchen under bolster with easy opening and safe, for lunches in the idyllic aft seating area designed for relaxation. As standard: hand shower, rear platforms, XXL sundeck.



Wide rear platforms for a safe way to get on and off the boat.



**MEDLINE 500**

**MEDLINE 580**

**MEDLINE 660**

**MEDLINE 7.5**

**MEDLINE 850**

Length overall/inside (m-f)	5/4,06 - 16'5"/13'4"	5,80/4,91 - 19'/16'1"	6,60/4,74 - 21'8"/15'7"	7,34/6,16 - 24'1"/20'3"	8,50/7,45 - 27'11"/24'5"
Width overall/inside (m-f)	2,24/1,25 - 7'4"/4'1"	2,54/1,44 - 8'4"/4'7"	2,54/1,39 - 8'4"/4'7"	2,90/1,67 - 9'6"/5'6"	3,00/1,85 - 9'10"/6'1"
Weight (Kg-Lbs)	353 - 778	601 - 1325	826 - 1821	1150 - 2535	1600 - 3527
Number of passengers	9	12	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Max power allowed (CV)	80	115	200	300	350 - 2 x 250
Tank capacity (l-gal)	90 - 24	90 - 24	200 - 52	300 - 79	400 - 106

## STANDARD EQUIPMENT

### BASIC EQUIPMENT + COMFORT

- Removable Tube
- Bilge Pump (except Medline 500)
- Integrated fuel tank
- Hydraulic steering (except Medline 500)
- Repair kit/Owner's manual
- Bow Ring
- Battery coupler
- Moulded self-bailing deck
- Bathing ladder
- 2 paddles

### MEDLINE 850 EQUIPMENT

- 4 Stainless steel handrails on tube/6 External handles
- 4 fast empty fast flow
- Bow sundeck and stern sundeck
- Aft saloon with table
- Deck shower kit with a tank
- Deck lights
- Synthetic teak deck
- Ski mast

## OPTIONS AND ACCESSORIES

### COMFORT EQUIPMENT

- Inflator turbomax 12volts 1000l/min
- Pressure gauge
- Cooker
- Electric windlass
- Electric windlass v3 (factory installed)
- Console mooring cover
- Fridge (factory installed)
- Inflator 12 volts 800 mb with pressure regulator 450l/min

### ÉLECTRICITÉ/ÉLECTRONIQUE

- Audio system fusion ra 750 ud with integrated dock radio, blue tooth,
- Antenna 2 x loud speakers 200 watts
- Remote control (option for fusion ra 750 or bb 300)

### PROTECTION

- Bolster mooring cover
- Bimini s/steel

### COLOR EDITION

- Red upholstery available for the 580 and 660



## SPECIFICATIONS

# N-ZO

## PREMIUM CRUISING



Design | Comfort | Ergonomics





N-ZO 680



N-ZO CABIN



N-ZO 760





N-ZO CABIN



# DESIGN

A unique and avant-garde line: the N-ZO embodies Zodiac Nautic's innovative traditions. A pure jewel of the seas, N-ZO is the perfect synthesis of Zodiac's adaptability and pureness of a premium design with an s-shape tube and rigid bow.



N-ZO

## COMFORT

The generous height of the freeboard, provided by the dimension of its buoyancy tubes and the specific structure of the hull, turns the cockpit into a cocoon for its passengers.



N-ZO 700

# ERGONOMICS

The N-ZO's are leisure boats to share and entertain comfortably. Whether at anchor or cruising, every aspect of this boat has been designed to ensure comfort:

- the layout of the deck has been optimized to make moving onboard easier and safer.
- The "air console" (N-ZO 600 / N-ZO 680) allows for more mobility and comfort on deck.
- The N-ZO range is equipped with a new system of front "reverse & sun" loungers which allows the installation of a large sun-bathing area in just a few seconds, just by unfolding its structure.



N-ZO

# 3D CONFIGURATOR



Colors



Equipment



Engine

[www.zodiac-nautic.com](http://www.zodiac-nautic.com)



**N-ZO 600**



**N-ZO 680**



**N-ZO 700 CABIN**



**N-ZO 760**

Length overall/inside (m-f)	5,99/5 - 19'8"/16'6"	6,8/5,82 - 22'4"/19'1"	6,99/6,37 - 22'11"/20'11"	7,60/6,38 - 24'11"/20'11"
Width overall/inside (m-f)	2,54/1,30 - 8'4"/4'7"	2,54/1,30 - 8'4"/4'7"	3,21/2,40 - 8'4"/4'7"	3,04/1,70 - 8'4"/4'7"
Weight (Kg-Lbs)	930 - 2050	1058 - 2332	1489 - 3283	1530 - 3373
Number of passengers	12	14	14	18
Max power allowed (CV)	150	200	300 - 2 x 150	350 - 2 x 150
Tank capacity (l-gal)	130 - 34	212 - 56	310 - 82	300 - 79

## STANDARD EQUIPMENT

- 2 Paddles
- 4 Mooring cleats
- Navigation lights
- Repair kit/owner's manual
- Inflator with manometer
- Hydraulic steering
- Bilge pump
- 1 Battery switch
- 1 Bow ring
- Ski mast roll-bar
- Led deck lighting
- Leaning post with 12v power supply designed to receive cooler and portable cooker, equipped sink and audio system
- Aft bathing platform with telescopic ladder
- Self-bailing deck
- High storage capacity
- Recessed valves

### STANDARD EQUIPMENT 700 CABIN

- Power windlass
- Electric marine toilet
- Cabin upholstery
- Wooden cabin steps
- Shower kit and sink fittings with water tank

## OPTIONS AND ACCESSORIES

### RECREATIONAL EQUIPMENT

- Front sundeck
- Front sun bath reverse and sun (factory installed)
- Back sundeck
- Shower kit and sink fittings with water tank
- Shower kit and sink fittings with water tank (factory installed)
- Refrigerator
- Refrigerator (factory installed)
- Inflator turbomax 12volts 1000l/min
- Electric windlass (anchor not included)
- Electric windlass (factory installed / anchor not included)
- Pressure gauge
- Portable gas cooker
- Chemical toilet with fixing kit

### PROTECTION

- Bimini s/steel sunbrella silver
- Bolster mooring cover
- Console mooring cover
- Backrest cover

### ELECTRICS/ELECTRONICS

- Remote control (option for fusion ra 750 or bb 300)
- Audio system fusion ra 750 ud with integrated dock radio, blue tooth,
- Antenna 2 x loud speakers200 watts
- Speakers (pair)

### DECK EQUIPMENT

- Synthetic teak deck (factory installed)
- Picnic table
- Synthetic teak deck
- Specifications



# SPECIFICATIONS

# CLASSIC

## THE ORIGINAL

### PRACTICAL

Worthy heir of the first Zodiac boats, it kept all of their qualities: safe, stable and strong. Easy to manipulate ashore, with a pair of wheels for launching on water, it's easily maneuverable on protected sea areas; its small draught allowing it to access and "beach" on spots otherwise inaccessible to other boats.



### ECONOMICAL

Equipped with a low-power engine, it reaches honorable performances - for a low budget for fuel and upkeep.

### FOLDABLE

Entirely foldable, once folded and stored in its two bags, only a few sq. Meters are needed for winter storage; always ready to follow you for new explorations. Available with a wooden or aluminum floor.



CLASSIC MARK II



CLASSIC MARK II C

Length overall/inside (m-f)	4,20/2,95 - 13'9"/9'8"	3,80/2,55 - 12'6"/8'4"
Width overall/inside (m-f)	1,83/0,92 - 6'0"/3'0"	1,83/0,92 - 6'0"/3'0"
Weight (Kg-Lbs)	83 - 183	74 - 163
Number of passengers	7	6
Max power allowed (CV)	40	35





# FUTURA

## MASTER OF THE SEA

### SPORTY

True master of the seas, its piloting provides extreme sensations. Its patented hull made of 2 additional lateral buoyancy tubes procures an extraordinary stability in small turns and absorbs with comfort small waves at full speed.

### FUN

According to your lifestyle, choose the anodized aluminum, perfectly rigid version, for a loaded use; or choose the inflatable floor version for perfect practicality without sacrificing performances: unfold. Inflate. Go!

### FOLDABLE

The Futura is offered with a fast roller inflatable floor (FR). The aluminum version can be equipped with an ingenious cockpit, fixed without tools on the railings of the floor, allowing a free and adjustable position.



**FUTURA MARK II C ALU/FR**



**FUTURA MARK II ALU/FR**



**FUTURA MARK III ALU/FR**

Length overall/inside (m-f)	3,70/2,60 - 12'2"/8'6"	4,10/3,00 - 13'5"/9'10"	4,50/3,40 - 14'9"/11'2"
Width overall/inside (m-f)	1,99/0,89 - 6'6"/2'11"	1,99/0,89 - 6'6"/2'11"	2,05/0,90 - 2'11"/1'10"
Weight (Kg-Lbs)	120/97 - 264/214	125/101 - 275/22	139/118 - 306/268
Number of passengers	6/5	7/6	9/8
Max power allowed (CV)	40/25	50/30	60/40



# TENDERS

2 METERS / 6'7"


3 METERS / 9'10"

4 METERS / 13'1"

RIGID-HULLED

## NEW CADET RIB ALU

Lightness and robustness



## CADET RIB POLYESTER

Elegance and strength



## CADET COMPACT

A rigid - hull in a bag



FOLDABLES


## CADET FASTROLLER

The must-have foldable tender



## CADET

The market's standard





60

**RIGID-HULLED**  
CADET RIB POLYESTER  
CADET RIB ALU  
CADET COMPACT



62



64

**LIFERAFT**  
**SUP**  
And accessories



**FOLDABLES**  
CADET FASTROLLER  
CADET

# TENDERS

## RIGID-HULLED

### CADET RIB POLYESTER

#### Elegance and strength

Built to last and generously spacious, a Cadet Rib will elegantly complete your boat. Equipped with large-diameter tubes, they're particularly stable and able to carry many goods and passengers while keeping them dry. Their polyester deep-v-hull allow them to easily lift off water and gain comfort in small waves. Available in two colors, in strongan™ or hypalon™ fabric, for intensive use in tropical zones.



RANGE  
260 | 290 | 310 | 340 | 390



### CADET RIB ALU

#### Lightness and robustness

Zodiac nautic completes its tender range with a new line of aluminum hulls. These ultra-light tenders are easy to handle and have a low impact on the davits of your boat. The large diameter tubes ensure stability, and the ability to plane quickly and easily so everything in your boat remains safe and dry.





## CADET COMPACT

A rigid - hull in a bag

Once deflated, the Cadet Compact occupies very few space thanks to its foldable transom (Zodiac Nautic patent); it's simply stored flat in a specific bag. Its launch is extremely fast: just inflate it, install the rows and put it on the water! Very light and rot-resistant, thanks to the RIMTEC process (Reinforced Injection Molding Technology), its hull offers good stability: a Zodiac Nautic exclusivity.



ULTRA LIGHT VERSION

240 | 270 | 300 | 330 | 360

FLAT/V DECK VERSION

300 | 330 | 360 | 390



RANGE

250 | 300



# TENDERS

## FOLDABLES



## CADET FASTROLLER

### The must-have foldable tender

Equipped with the Acti-V concept (Zodiac Nautic patented technology), the hull of the Cadet Fastroller is thinner and more distinct, and the H2P floor is more rigid. The result: an easy launch by inflations, a mastered piloting and a firm course holding never attained before on this type of tender. All its structural elements are welded, including its rubstrake, its transom and the fabric bottom. The experts will appreciate the technical performance and the direct impact on security and durability of the product.



RANGE  
285 | 325 | 360





# CADET

## The market's standard

Setting the foundation for the market's standard through utilization of the best materials, and an assembly by welding the buoyancy tubes, guarantees optimal resistance and durability. With a complete range of accessories, you can find the best patented Zodiac Nautic products such as the rowlock and its tridimensional adjustment or the internal command drain plug, more practical and safer to use. Available in three floor versions (depending on the size), to select linked to the load capacity available onboard.



### RANGE

200	230	270	310	350
Aero	Aero	Aero	Aero	Aero
Roll up	Roll up	Roll up	×	×
×	×	Alu	Alu	Alu



Aero



Roll up



Alu



# LIFERAFT

Compact, complete and  
evolutive

At the cutting edge of safety, the Zodiac liferafts are made and manufactured according to the ISO 9650 norm.

The open sea range is adapted to high-sea navigation and temperature conditions from -15°C to 65°C; it includes an inflatable hoop, a semi-rigid boarding ramp and an insulating floor. The coastal range, lighter and more compact, are adapted to milder conditions of coastal navigation. They include a tent, maintained by a double fiberglass hoop.

Conditioned in waterproof bags, available in soft or solid container, the Zodiac liferafts are guaranteed for 12 years. They benefit, for their revision, from the largest network of service stations in the world, as well as trustworthy experts, trained by us.



OPEN SEA ISO 9650 HIGH-SEA  
Nb of passengers: 4-6-8-10



COASTER ISO 9650 COASTAL  
Nb of passengers: 4-6-8





# SUP

To sail alone or with the family, the paddles are a pleasure for young and old thanks to their great stability. These inflatable paddles can also be used as an annex when anchoring.



## ACCESSORIES

### A complete range

Our accessories benefit from all the attention the brand gives to the study of its products. They are made with the same care and live up to the same quality and reliability requirements than our boats.

You can equip your boat with a wide range of accessories: such as sun loungers, sunroofs, ski poles, shower kits, etc.  
**Find out more with your Zodiac agent!**

The Zodiac Nautic boutique offers a large choice of derived products to show your love of the Zodiac brand and community: gear, luggage, etc.



Access the entire range of Zodiac products and accessories on:

[WWW.ZODIAC-NAUTIC.COM](http://www.zodiac-nautic.com)

## ZODIAC CONNECTED BOAT



### LOCATION

The exact position of your boat is displayed in real time, 24 hours a day.



### NAVIGATIONS

Save all your navigations on a map and place the most interesting places you discover.



### STATUS OF THE BOAT

Visualize the tank level, bilge pump and engine hours.



### SECURITY

Receive an instant alert when your boat leaves an area that you define.



### CONTROLS

Connect the Connected Boat device to an accessory (lamp, pump), and turn it on directly from your smartphone.



### MAINTENANCE

Get detailed reports on your use of the boat and motor, and plan your maintenance activities accordingly.

# ZODIAC NAUTIC SERVICES

## AN INTERNATIONAL NETWORK OF TRUST

Present in more than 50 countries around the world, Zodiac Nautic and its 1.600 Agents will put their expertise at your service. Our network guarantees an efficient and reliable after-sale service: whether you need a new accessory or replacing a lost part, you are sure to find a Zodiac Nautic dealer putting their skills to work for you. **Our agents sometimes do the maintenance of the same boat for more than 20 years!**

Do not hesitate to consult them: they will know how to advise you when buying your boat or upkeeping it. We count on them, they deserve your trust.

Find our dealers:

[WWW.ZODIAC-NAUTIC.COM](http://WWW.ZODIAC-NAUTIC.COM)

WARRANTLY\*

5  
YEARS

ZODIAC



\*See the conditions of application of the contractual guarantee (3 years) and its paid extension (2 years) with our network.



# BOATS SPECIFICATIONS

CLASSIC		FUTURA			N-ZO				MEDLINE				
Mark II Alu	Mark II C Alu	Mark II C Alu/FR	Mark II Alu/FR	Mark III Alu/FR	600	680	700 cabin	760	500	580	660	75	850

## DIMENSIONS

Length overall (m - f)	4,20 - 13'9"	3,80 - 12'6"	3,70 - 12'2"	4,10 - 13'5"	4,50 - 14'9"	5,99 - 19'8"	6,8 - 22'4"	6,99 - 22'11"	7,60 - 24'11"	5 - 16'5"	5,80 - 19'	6,60 - 21'8"	7,34 - 24'11"	8,50 - 27'11"
Inside length (m - f)	2,95 - 9'8"	2,55 - 8'4"	2,60 - 8'6"	3,00 - 9'10"	3,40 - 11'2"	5,03 - 16'6"	5,82 - 19'11"	6,37 - 20'11"	6,38 - 20'11"	4,06 - 13'4"	4,91 - 16'11"	4,74 - 15'7"	6,16 - 20'3"	7,45 - 24'5"
Width overall (m - f)	1,83 - 6'0"	1,83 - 6'0"	1,99 - 6'6"	1,99 - 6'6"	2,05 - 6'9"	2,54 - 8'4"	2,54 - 8'4"	3,21 - 10'6"	3,04 - 9'12"	2,24 - 7'4"	2,54 - 8'4"	2,54 - 8'4"	2,90 - 9'6"	3,00 - 9'10"
Inside width (m - f)	0,92 - 3'0"	0,92 - 3'0"	0,89 - 2'11"	0,89 - 2'11"	0,90 - 2'11"	1,30 - 4'3"	1,30 - 4'3"	2,40 - 7'10"	1,70 - 5'7"	1,25 - 4'11"	1,44 - 4'9"	1,39 - 4'7"	1,67 - 5'6"	1,85 - 6'1"
Buoyancy tube diameter (m - f)	0,45 - 1'6"	0,45 - 1'6"	0,55 - 1'10"	0,55 - 1'10"	0,57 - 1'11"	0,60 - 2'0"	0,60 - 2'0"	0,65 - 2'2"	0,65 - 2'2"	0,50 - 1'8"	0,55 - 1'10"	0,575 - 1'11"	0,6 - 1'12"	0,60 - 1'12"
Hull angle														

## CAPACITY

Design categories	C	C	C	C	C	C	C + D	B + C + D	B + C	C	C	C	B + C	B + C
Number of passengers (ISO)	7	6	6 / 5	7 / 6	9 / 8	12	14	14 (C+D) - 7 (B)	18 (C) - 7 (B)	9	12	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Maximum authorized payload (Kg - lbs.)	840 - 1852	750 - 1653	860 - 1896 800 - 1764	1100 - 2425 1000 - 2205	1280 - 2822 1200 - 2646	1262 - 2782	1480 - 3263	2036 - 4489 (C) 1661 - 3662 (B)	2080 - 4585 (C) 1250 - 2755 (B)	1232 - 2716	1420 - 3131	1490 - 3285	1730 - 3814 (C) 980 - 2161 (B)	2130 - 4696 (C) 1605 - 3538 (B)
Total weight (Kg - lbs.)	83 - 183	74 - 163	120 - 264 97 - 214	125 - 275 101 - 220	139 - 306 118 - 268	930 - 2050	1058 - 2332	1489 - 3283	1530 - 3373	353 - 778	601 - 1325	826 - 1821	1150 - 2535	1600 - 3527
Number of airtight compartments	3 + 1	3 + 1	3 + 2 + 1	4 + 2 + 1	5 + 2 + 1	6	6	6	6	5	5	5	5	7

## ENGINE

Transom length	Court	Court	court	Long	Long	Extra Long	Extra Long	XXL en mono XL en bi-moteurs	XXL en mono XL en bi-moteurs	Long	Extra Long	Extra Long	Extra Long	XXL en mono XL en bi-moteurs
Maximum allowed power (Hp)	40	35	40 / 25	50 / 30	60 / 40	150	200	300 - 2 x 150	350 - 2 x 150	80	115	200	300	350 - 2 x 250
Maximum allowed power (kW)	30	26	30 / 19	37 / 22	45 / 30	110	147	221 - 2 x 110	257 - 2 x 110	60	86	147	220	257 - 2 x 183
Maximum allowed weight of engine (Kg-lbs)	95 - 209	85 - 187	95 - 209 72 - 159	115 - 253 75 - 165	120 - 264 95 - 209	234 - 515	393 - 866	393 - 866 2 x 258 - 2 x 569	393 - 866 2 x 258 - 2 x 569	191 - 421	244 - 537	282 - 622	385 - 849	393 - 866 2 x 300 - 2 x 661

OPEN			PRO						
5.5	6.5	7	420	500	55	6.5	7	750	850

5,40 - 17'9"	NC	6,95 - 22'10"	4,20 - 13'9"	4,70 - 15'5"	5,40 - 17'9"	NC	6,75 - 22'2"	7,50 - 24'7"	8,50 - 27'11"
4,22 - 13'10"	NC	5,71 - 18'9"	2,90 - 9'6"	3,38 - 11'1"	4,25 - 13'11"	NC	5,71 - 18'9"	6,16 - 20'3"	7,45 - 24'5"
2,54 - 8'4"	NC	2,54 - 8'4"	1,90 - 6'3"	2,05 - 6'9"	2,54 - 8'4"	NC	2,54 - 8'4"	2,90 - 9'6"	3,00 - 9'10"
1,39 - 4'7"	NC	1,39 - 4'7"	0,95 - 3'1"	1,05 - 3'5"	1,39 - 4'7"	NC	1,39 - 4'7"	1,65 - 5'5"	1,85 - 6'1"
0,575 - 1'11"	NC	0,575 - 1'11"	0,455 - 16"	0,50 - 18"	0,57 - 1'10"	NC	0,57 - 1'10"	0,60 - 1'12"	0,60 - 1'12"
24°	NC	24°	19°	22°	24°	NC	24°	22°	24°

C	NC	B + C	C	C	C	NC	B + C	B + C	B + C
12	NC	16 (C) - 7(B)	7	9	12	NC	16 (C) - 5 (B)	20 (C) - 7 (B)	25 (C) - 8 (B)
1410 - 3108	NC	1990 - 4387 (C) 1400 - 3086 (B)	780 - 1720	1060 - 2337	1550 - 3417	NC	1960 - 4321 (C) 1160 - 2557 (B)	1830 - 4034 (C) 1155 - 2546 (B)	2800 - 6173 (C) 2050 - 4519 (B)
585 - 1290	NC	910 - 2006	181 - 399	230 - 507	430 - 948	NC	790 - 1741	860 - 1896	1450 - 3197
5	NC	5	3	5	5	NC	5	5	7

Long	NC	Extra Long	Long	Long	Long	NC	XL en mono L en bi	XL en mono L en bi	XXL en mono XL en bi-moteurs
130	NC	250	50	70	115	NC	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250
97	NC	186	37	52	84	NC	183 - 2 x 95	220 - 2 x 110	257 - 2 x 183
225 - 496	NC	300 - 661	115 - 253	170 - 374	225 - 496	NC	293 - 645	300 - 661 2 x 240 - 2 x 529	393 - 866 2 x 300 - 2 x 661



# TENDERS SPECIFICATIONS

	CADET RIB ALU ULTRA LIGHT VERSION					CADET RIB ALU FLAT/V DECK VERSION				CADET RIB STRONGAN/NEO				
	240	270	300	330	360	300	330	360	390	260 Strongan	290	310	340	390

## DIMENSIONS (METERS – FEET)

Length overall	2,43-7'97"	2,73-8'96"	3,03-9'94"	3,33-10'93"	3,63-11'91"	3,00-9'94"	3,30-10'93"	3,60-11'91"	3,90-12'89"	2,60-8'53"	2,90-9'51"	3,10-10'17"	3,40-11'15"	3,90-12'80"
Inside length	1,66-5'45"	1,8-5'90"	2,10-6'89"	2,30-7'55"	2,70-8'86"	2,10-6'89"	2,30-7'55"	2,70-8'86"	3,00-9'84"	1,72-5'64"	1,95-6'40"	2,20-7'22"	2,48-8'14"	2,90-9'51"
Width overall	1,67-5'48"	1,67-5'48"	1,67-5'48"	1,67-5'48"	1,67-5'48"	1,67-5'48"	1,67-5'48"	1,67-5'48"	1,67-5'48"	1,56-5'12"	1,56-5'12"	1,72-5'64"	1,72-5'64"	1,90-6'23"
Inside width	0,78-2'56"	0,78-2'46"	0,78-2'56"	0,78-2'56"	0,78-2'56"	0,78-2'56"	0,78-2'56"	0,78-2'56"	0,78-2'56"	0,70-2'30"	0,70-2'30"	0,80-2'62"	0,80-2'62"	0,95-3'12"
Buoyancy tube diameter	0,41-1'35"	0,41-1'35"	0,41-1'35"	0,41-1'35"	0,41-1'35"	0,41-1'35"	0,41-1'35"	0,41-1'35"	0,41-1'35"	0,42-1'38"	0,42-1'38"	0,45-1'48"	0,45-1'48"	0,45-1'48"

## CAPACITY

Number of passengers (ISO)	3	4	4+1	5	6	5	6	6	7	3	4	5	5+1	7
Max. authorized payload (Kg – lbs.)	298-657	396-873	496-1094	551-1,215	600-1341	463-1021	548-1209	558-1231	643-1418	400-882	450-993	480-1059	610-1345	780-1720
Total weight (Kg – lbs.)	33-73	37-82	43-95	47-104	50-111	58-128	62-137	68-150	74-164	52-115	71/75-157/166	87/91-192/201	93/97-206/214	181/227-400/501
Nbre of airtight compartments	3	3	3	3	3	3	3	3	3	3	3	3	3	3

## ENGINE

Transom length	court	court	court	court	court	court	court	court	court	court	court	court	court	long
Max. allowed power (Hp)	6	10	15	15	30	15	15	30	30	10	15	20	25	50
Max. allowed power (kW)	4,5	8	11	11	22	11	11	22	22	8	11	15	19	38
Max. allowed weight of engine (Kg-lbs)	33-73	51-113	56-124	56-124	89-197	56-124	56-124	89-197	89-197	52-115	55-122	60-133	72-159	115-254

CADET COMPACT STRONGAN		CADET FASTROLLER			CADET				
250	300	285	325	360	200 Roll Up / Aéro	230 Roll Up / Aéro	270 Roll Up / Alu / Aéro	310 Alu / Aéro	350 Alu / Aéro
2,50-8'20"	3,00-9'84"	2,85-9'35"	3,25-10'66"	3,60-11'8"	2,00-6'56"	2,30-7'55"	2,70-8'86"	3,10-10'17"	3,50-11'48"
1,62-5'31"	2,02-6'63"	1,91-6'27"	2,29-7'51"	2,67-8'76"	1,26-4'13"	1,44-4'72"	1,75-5'74"	2,20-7'22"	2,58-8'46"
1,56-5'12"	1,56-5'12"	1,68-5'51"	1,68-5'51"	1,74-5'71"	1,34-4'40"	1,34-4'40"	1,53-5'02"	1,55-5'09"	1,72-5'64"
0,70-5'58"	0,70-2'30"	0,78-2'56"	0,78-2'56"	0,84-2'76"	0,62-2'03"	0,62-2'03"	0,68-2'23"	0,68-2'23"	0,83-2'72"
0,42-1'38"	0,42-1'38"	0,45-1'48"	0,45-1'48"	0,45-1'48"	0,36-1'18"	0,36-1'18"	0,43-1'41"	0,44-1'44"	0,45-1'48"
3	4	4	5	6	2	3	3+1	5	6
380-838	450-993	450-993	490-1081	750-1654	180/210-397/463	270/300-596/662	370/450/420-816/993/926	600/570-1323/1257	650/620-1433/1367
38-84	48-106	35-78	38-84	44-97	20-45	22/24-49/53	29/37/31-64/82/69	49/35-109/78	67/42-148/93
2	2	2+1	3+1	3+2	2/2+1	2/2+1+1	3/3+1/3+1+1	3+1/3+1+1	3+1/3+1+1
court	court	court	court	court	court	court	court	court	court
8	10	8	10	15	3	4	4/8/6	15/10	20/15
6	8	6	8	11	2	3	3/6/4,5	11/8	15/11
42-93	52-115	42-93	52-115	55-122	18-40	27-60	27/42/27-60/93/60	55/52-122/115	55-122



The maximal authorized load was computed according to the ISO norm.

This document may make references to registered trademarks from other companies. Such references are purely indicative and do not constitute any commitment. In a constant search for better products, Z Nautic reserves the right to change or improve the conception or definition of its products at any time, without prior notice and without retroactive effect on the boats built previously.

This document cannot be considered as a contractual document. Non-contractual pictures.

Guarantee extensions are available depending on the products and the geographical area. Information available at your reseller and on [www.Zodiac-nautic.Com](http://www.Zodiac-nautic.Com)

Z Nautic reserves the right to modify the characteristics of its products without prior notice (tolerance +/- 3% on dimensions, +/- 5% on weight and speed).

Zodiac Nautic™ is a registered trademark – Copyright Zodiac Nautic™. Z Nautic SAS with a capital of 7,095,000€ – SIRET 812 206 340 000 26 APE 4778C - SIREN 812 206 340 - RCS TOULOUSE VAT N° 81 812 206 340. 2, Chemin de la Val Priout. 31450 AYGUESVIVES - FRANCE.



**ZODIAC**

[www.zodiac-nautic.com](http://www.zodiac-nautic.com)

